

Tobacco in Australia

Facts & Issues

Relevant news and research

5.6 Intentions, attitudes and beliefs

Last updated December 2024

Research:	1
5.6.1 Perceived benefits and disadvantages of smoking	8
5.6.2 Future intention to be a smoker or a non-smoker	9
5.6.3 Perceived acceptability of smoking	10
News reports:	10
5.6.3 Perceived acceptability of smoking	11

Research:

Mori, R, Yamamoto, R, Shinzawa, M, Otsuki, N, Matsumura, Y, Nakamura, Y et al. (2024). Breakfast Frequency and Smoking Initiation in University Students: A Retrospective Cohort Study. *Nutrients*, 16(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39064804>

Liu, W, Zeng, X, Su, Q, Xiao, L, & Liu, S. (2024). The Trend of Smoking-Related Cognition and Its Association with Smoking Behaviors Among Junior High School Students - China, 2013-2021. *China CDC Wkly*, 6(22), 503-508. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38855567>

Pelters, P, & Galanti, MR. (2023). "It's nice to just be": A qualitative study on the meaning-imbued reality of waterpipe smoking among young adults in Sweden. *Nordisk Alkohol Nark*, 40(5), 482-501. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37969904>

tobaccoinaustralia.org.au

- Tibboel, H, Van Bockstaele, B, Spruyt, A, & Franken, I. (2023). Implicit beliefs and automatic associations in smoking. *J Behav Ther Exp Psychiatry*, 83, 101925. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38029484>
- Lin, M, Chu, M, Li, X, Ma, H, Fang, Z, Mao, L et al. (2023). Factors influencing adolescent experimental and current smoking behaviors based on social cognitive theory: A cross-sectional study in Xiamen. *Front Public Health*, 11, 1093264. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37033036>
- Ma, Y, Zhou, M, Yu, W, Zou, Z, Ge, P, Ma, ZF et al. (2023). Using the Unified Theory of Acceptance and Use of Technology (UTAUT) and e-health literacy(e-HL) to investigate the tobacco control intentions and behaviors of non-smoking college students in China: a cross-sectional investigation. *BMC Public Health*, 23(1), 765. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37098499>
- Pavlikova, B, Baska, T, Freel, L, & Van Dijk, JP. (2023). Smoking is a Risk Factor for Generation Z, Too: The Evolution of the Attitudes. *Int J Public Health*, 68, 1604760. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36866002>
- Thimmegowda, U, Kattimani, S, & Krishnamurthy, NH. (2022). Knowledge about the Harmful Effects of Environmental Tobacco Smoke, Perceptions toward Initiation of Smoking and Factors Influencing Smoking in Adolescents: A Cross-sectional Study. *Int J Clin Pediatr Dent*, 15(6), 667-671. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36866130>
- Alenazi, I, Alanazi, A, Alabdali, M, Alanazi, A, & Alanazi, S. (2023). Prevalence, Knowledge, and Attitude Toward Substance Abuse, Alcohol Intake, and Smoking Among Male High School Students in Riyadh, Saudi Arabia. *Cureus*, 15(1), e33457. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36751237>
- Chirtkiatsakul, B, Jani, R, Hairi, FM, & Talib, MA. (2023). Attitudes and practices related to smoking among university students in Thailand. *J Am Coll Health*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36723413>
- West, JC, Burt, KB, Klemperer, EM, Chen, HL, & Villanti, AC. (2023). Latent Classes of Perceived Addictiveness Predict Marijuana, Alcohol, and Tobacco Use in Youth and Young Adults. *Subst Use Misuse*, 58(3), 454-464. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36692093>
- Sutha, DW, Prabandari, YS, & Padmawati, RS. (2022). Smoking behavior among junior high school students based on the theory of planned behavior in Madura, Indonesia. *Int J Adolesc Med Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36347513>
- Chen, B, Spells, CE, Bluestein, MA, Kuk, AE, Harrell, MB, & Perez, A. (2022). The association of perceptions of harmfulness and addictiveness on the age of initiation of cigar product use among youth: Findings from the Population Assessment of Tobacco and Health (PATH) study, 2013-2017. *Front Public Health*, 10, 882434. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36276402>
- Vaihekoski, A, Lagstrom, H, Eloranta, S, Baars, S, Hannula, A, Lehtvikko, M, & Salakari, M. (2022). Influencing adolescents' attitudes towards nicotine products: A systematic review. *Nordisk Alkohol Nark*, 39(5), 568-584. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36284743>

Khurana, A, Loan, CM., & Romer, D. (2022). Predicting cigarette use initiation and dependence in adolescence using an affect-driven exploration model. *Front Psychol*, 13, 887021. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36132193>

Persoskie, A, & O'Brien, EK. (2022). Predicting tobacco product initiation from intentions to use: Comparing the validity of item analysis methods. *Prev Med Rep*, 28, 101855. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35789624>

Roberts, ME, Keller-Hamilton, B, & Ferketich, AK. (2022). Testing if attitudes mediate the association between advertising exposure and adolescent tobacco use. *Addict Behav*, 134, 107415. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35763986>

Hansen, WB, Saldana, S, & Ip, EH. (2022). Psychosocial Indicators of Adolescent Alcohol, Cigarette, and Marijuana Use: An Analysis of Normalized, Harmonized, and Pooled Data. *Eval Health Prof*, 1632787221097145. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35531964>

Wagner-Altendorf, TA, van der Lugt, AH, Banfield, JF, Deibel, J, Cirkel, A, Heldmann, M, & Munte, TF. (2021). Studying Implicit Attitudes Towards Smoking: Event-Related Potentials in the Go/NoGo Association Task. *Front Hum Neurosci*, 15, 634994. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33613219>

Navarro, MA, Hoffman, L, Ganz, O, Guillory, J, & Crankshaw, EC. (2020). Those who believe they can, do: The relationship between smoking avoidance beliefs, perceived risks of smoking, and behavior in a sexual and gender minority young adult sample. *Addict Behav*, 106733. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33223360>

Patten, CA, Wang, XQ, Little, MA, Ebbert, JO, Talcott, GW, Hryshko-Mullen, AS, & Klesges, R. (2020). Influence of gender on initiation of tobacco and nicotine containing product use among U.S. Air Force trainees. *Prev Med Rep*, 19, 101104. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32435579>

Hanauer, M, Walker, MR, Machledt, K, Ragatz, M, & Macy, JT. (2019). Association between perceived risk of harm and self-reported binge drinking, cigarette smoking, and marijuana smoking in young adults. *J Am Coll Health*, 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31765288>

Grard, A, Schreuders, M, Alves, J, Kinnunen, JM, Richter, M, Federico, B et al (2019). Smoking beliefs across genders, a comparative analysis of seven European countries. *BMC Public Health*, 19(1), 1321. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31638938>

Brandt, L, Schultes, MT, Yanagida, T, Maier, G, Kollmayer, M, & Spiel, C. (2019). Differential associations of health literacy with Austrian adolescents' tobacco and alcohol use. *Public Health*, 174, 74-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31323600>

Chen, J, Ho, SY, Leung, LT, Wang, MP, & Lam, TH. Adolescent Support for Tobacco Control Policies and Associations with Tobacco Denormalization Beliefs and Harm Perceptions. *Int J Environ Res Public Health*, 2019. 16(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30621115>

Fitzpatrick, M, Johnson, A C, Tercyak, KP, Hawkins, KB, Villanti, AC, & Mays, D. Adolescent Beliefs About Hookah and Hookah Tobacco Use and Implications for Preventing Use. *Prev Chronic Dis*, 2019. 16, E05. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30629484>

Montes, KS, Witkiewitz, K, Pearson, MR, & Leventhal, AM. Alcohol, tobacco, and marijuana expectancies as predictors of substance use initiation in adolescence: A longitudinal examination. *Psychol Addict Behav*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30407027>

Leonidou, C, Charalambous, E, Michaelides, MP, & Panayiotou, G. Smoking Consequences Questionnaire: Factor Structure and Invariance among Smokers and Non-Smokers. *Subst Use Misuse*, 2018. 1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30362873>

Chaffee, BW, Cheng, J. Cigarette and Smokeless Tobacco Perception Differences of Rural Male Youth. *Tob Regul Sci*. 2018 Jul;4(4):73-90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30128332>

Vasquez, D, Cohen Jones, M, Brown, LD. Attitudes toward tobacco among low-income Hispanic adolescents: Implications for prevention. *J Ethn Subst Abuse*. 2018 Jul 31:1-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30064307>

Trapl, ES, Koopman Gonzalez, SJ. Attitudes and Risk Perceptions Toward Smoking Among Adolescents Who Modify Cigar Products. *Ethn Dis*. 2018 Jul 12;28(3):135-144. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30038474>

Do, EK, Prom-Wormley, EC, Fuemmeler, BF, Dick, DM, Kendler, KS, Maes, HH. Associations Between Initial Subjective Experiences with Tobacco and Self-Reported Recent Use in Young Adulthood. *Subst Use Misuse*. 2018 May 29:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29843549>

Schreuders, M, Krooneman, NT, van den Putte, B, Kunst, AE. Boy Smokers' Rationalisations for Engaging in Potentially Fatal Behaviour: In-Depth Interviews in The Netherlands. *Int J Environ Res Public Health*. 2018 Apr 16;15(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29659521>

Agaku, I, Odani, S, Vardavas, C, Neff, L. Self-Identified Tobacco Use and Harm Perceptions Among US Youth. *Pediatrics*, 2018. Mar 15, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29545271>

Wang, TW, Trivers, KF, Marynak, KL, O'Brien, EK, Persoskie, A, Liu, ST, King, BA. Harm Perceptions of Intermittent Tobacco Product Use Among U.S. Youth, 2016. *J Adolesc Health*. 2018 Feb 28. pii: S1054-139X(18)30012-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29501281>

Loneragan, B, Harding, V, Cohen, H, Wylleman, E, Cohen, R, Stebbing, J. Harms of cigarette smoking: call to increase knowledge among children. *Eur J Cancer Prev*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29384759>

Mantey, DS, Harrell, MB, Case, K, Crook, B, Kelder, SH, Perry, CL. Corrigendum to "Subjective experiences at first use of cigarette, e-cigarettes, hookah, and cigar products among Texas adolescents" [*Drug Alcohol Depend*. 173/1 (2017) 10-16]. *Drug Alcohol Depend*. 2018 Jan 3;183:247. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29306172>

Sabzmakan, L, Ghasemi, M, Asghari Jafarabadi, M, Kamalikhah, T, Chaleshgar Kordasiabi, M. Factors Associated with Tobacco Use Among Iranian Adolescents: An Application of Protection Motivation Theory. *Subst Use Misuse*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29313745>

Cole, AG, Kennedy, RD, Chaurasia, A, Leatherdale, ST. Exploring the Predictive Validity of the Susceptibility to Smoking Construct for Tobacco Cigarettes, Alternative Tobacco Products, and E-Cigarettes. *Nicotine Tob Res*. 2017 Dec 6. pii: 4694419. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29220532>

Creamer, MR, Delk, J, Case, K, Perry, CL, Harrell, MB. Positive Outcome Expectations and Tobacco Product Use Behaviors in Youth. *Subst Use Misuse*. 2017 Nov 27;1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29172952>

Khalil, GE, Calabro, KS, Prokhorov, AV. Development and initial testing of the brief adolescent smoking curiosity scale (ASCOS). *Addict Behav*. 2017 Nov 7;78:67-73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29127786>

Wong, EC, Haardorfer, R, Windle, M, Berg, CJ. Distinct motives for use among polytobacco versus cigarette only users and among single tobacco product users. *Nicotine Tob Res*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27798088>

Jones, RM, Wiseman, KP, Kharitonova, M. Association between high school students' cigarette smoking, asthma and related beliefs: a population-based study. *BMC Public Health*. 2016 Sep 1;16(1):913. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27586515>

Masiero, M, Riva, S, Oliveri, S, Fioretti, C, Pravettoni, G. Optimistic bias in young adults for cancer, cardiovascular and respiratory diseases: A pilot study on smokers and drinkers. *J Health Psychol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27624614>

Quisenberry, AJ, Bianco, A, Gatchalian, KM, Kim-Spoon, J, Bickel, WK. The temporal window of valuation is constricted among adolescent smokers. *Behav Processes*. 2016 Sep 20;132:29-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27663667>

Parisod, H, Axelin, A, Smed, J, Salantera, S. Determinants of tobacco-related health literacy: A qualitative study with early adolescents. *Int J Nurs Stud*. 2016 Jul 16;62:71-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27459318>

Hertel, AW, Mermelstein, RJ. Smoker identity development among adolescents who smoke. *Psychol Addict Behav*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27136374>

Berg, CJ, Haardorfer, R, Lewis, M, Getachew, B, Lloyd, SA, Thomas, SF, Lanier, A, Trepanier, K, Johnston, T, Grimsley, L, Foster, B, Benson, S, Smith, A, Barr, DB, Windle, M. DECOY: Documenting experiences with cigarettes and other tobacco in young adults. *Am J Health Behav*. 2016 May;40(3):310-21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27103410>

Huong, NT, Kien, NT, Giang, KB, Minh, HV, Hai, PT, Huyen, DT, Khue, LN, Linh, NT, Lam, NT, Nga, PT. Knowledge and attitude towards tobacco smoking among 13-15 year-old school children in Viet Nam - Findings from GYTS 2014. *Asian Pac J Cancer Prev*. 2016;17 Suppl:37-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27087181>

Kasim, K, Al-Zalabani, A, Abd El-Moneim, ES, Abd El-Moneim, S. Beliefs and attitudes of male and female adolescents and the risk of smoking behaviour. J Postgrad Med. 2016 Apr-Jun;62(2):80-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27089105>

Popova, L, Halpern-Felsher, BL. A longitudinal study of adolescents' optimistic bias about risks and benefits of cigarette smoking. Am J Health Behav. 2016 May;40(3):341-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27103413>

Roditis, M, Delucchi, K, Cash, D, Halpern-Felsher, B. Adolescents' perceptions of health risks, social risks, and benefits differ across tobacco products. J Adolesc Health. 2016 May;58(5):558-66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27107909>

Wiseman, KD et al. Adolescents' and young adults' knowledge and beliefs about constituents in novel tobacco products. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26764259>

Kira, A et al. Children's positive attitudes towards the tobacco industry is associated with initiation of smoking. N Z Med J, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26905997>

Baghel, J et al. Has the attitude of school students toward smoking changed after a decade since the framework convention of tobacco control? Lung India, Sep-Oct 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26628785>

Borderias, L et al. Addiction and other reasons adolescent smokers give to justify smoking. Subst Use Misuse, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26583918>

Oberle, CD, Garcia, JA. Predicting alcohol, cigarette, and marijuana use from preferential music consumption. J Drug Educ, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26400900>

Aryal, UR, Bhatta, DN. Perceived benefits and health risks of cigarette smoking among young adults: insights from a cross-sectional study. Tob Induc Dis, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26236178>

El-Toukhy, S, Choi, K. Smoking-related beliefs and susceptibility among United States youth nonsmokers. J Adolesc Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26271160>

Wackowski, OA, Delnevo, CD. Young adults' risk perceptions of various tobacco products relative to cigarettes: results from the National Young Adult Health survey. Health Educ Behav, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26304709>

Walker, JF, Loprinzi, PD. Adolescent and young adult smokers who self-identify as nonsmokers: relationship with cigarette-related withdrawal and cravings. Am J Health Promot, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26305612>

Roditis, ML et al. Adolescents' perceptions of risks and benefits of conventional cigarettes, E-cigarettes, and marijuana: a qualitative analysis. The Journal of Adolescent Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26115908>

Bektas, I et al. Effects of perceived smoking-cancer relationship and cardiovascular health attitudes on childrens' views of smoking. Asian Pacific Journal of Cancer Prevention , 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25854365>

Hale, WJ et al. Low self-esteem and positive beliefs about smoking: A destructive combination for male college students. Addictive Behaviors, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25838000>

Waters, EA et al. The relationship between young adult smokers' beliefs about nicotine addiction and smoking-related affect and cognitions. Journal of cancer education, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25903051>

Azagba, S et al. A comparison of adolescent smoking initiation measures on predicting future smoking behaviour. Prev Med Rep, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26844068>

Lydon, DM et al. The perceived causal structures of smoking: Smoker and non-smoker comparisons. Journal of Health Psychology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25690755>

Ruiz-Moral, R et al. Opinions and beliefs held by Spanish teenagers regarding tobacco and alcohol consumption: a descriptive study. BMC Public Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25636719>

Schroder, C et al. The determinants of intention to smoke waterpipe among adolescents in Lebanon: a national household survey. Journal of Public Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25665877>

Amrock SM and Weitzman M. Adolescents' perceptions of light and intermittent smoking in the United States. Pediatrics, 2015; 135(2):246-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25583910>

Grevenstein D, Nagy E, and Kroeninger-Jungaberle H. Development of risk perception and substance use of tobacco, alcohol and cannabis among adolescents and emerging adults: evidence of directional influences. Subst Use Misuse, 2015; 50(3):376-86. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25496046>

Ali MM, Amialchuk A, and Heller LR. The Influence of Physical Activity on Cigarette Smoking Among Adolescents: Evidence From Add Health. Nicotine Tob Res, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25187062>

Dar-Nimrod I, Zuckerman M, and Duberstein P. Smoking at the workplace: Effects of genetic and environmental causal accounts on attitudes towards smoking employees and restrictive policies. New Genet Soc, 2014; 33(4):400-412. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25530710>

El-Shahawy O, Sun P, Tsai JY, Rohrbach LA, and Sussman S. Sense of Coherence and Tobacco Use Myths Among Adolescents as Predictors of At-Risk Youth Cigarette Use. Subst Use Misuse, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25262653>

Gray RJ, Hoek J, and Edwards R. A qualitative analysis of 'informed choice' among young adult smokers. *Tob Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25192770>

Guller L, Zapolski TC, and Smith GT. Longitudinal Test of a Reciprocal Model of Smoking Expectancies and Smoking Experience in Youth. *Psychol Addict Behav*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25180556>

5.6.1 Perceived benefits and disadvantages of smoking

Sullman, MJM, Gras, ME, Hughes, JD, Papageorgi, I, Calvo, F, & Font-Mayolas, S. (2024). Reasons for cigarette and tobacco product use, dual use, and poly use among university students. *Tob Induc Dis*, 22. . Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39583154>

Atem, FD, Bluestein, MA, Chen, B, Harrell, MB, Messiah, SE, Kuk, AE, & Perez, A. (2024). Application of inverse weighting analysis to assess the association of youth perceptions with the age of initiation of tobacco products. *Front Public Health*, 12, 1203631. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38450147>

Kang, W. (2023). Age and mental health moderate the association between environmental concern (EC) and smoking frequency: smoking as a polluting behavior. *Front Public Health*, 11, 1089148. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37860793>

Ngahane, BHM, Magouanet, T, Bitchong, EC, Endale, LM, Barche, B, Budzi, MN et al (2023). Prevalence, knowledge and factors associated with shisha smoking among university students in Cameroon. *Int J Tuberc Lung Dis*, 27(8), 606-611. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37491753>

Phan, L, Seyl, C, Chen-Sankey, J, Niederdeppe, J, Guy, MC, Sterling, KL, & Choi, K. (2023). Exploring Young Adults' Beliefs about Cigar Smoking by Susceptibility: A Belief Elicitation Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37294098>

Nguyen, N, Holmes, LM, Pravosud, V, Cohen, BE, & Ling, PM. (2023). Changes in perceived harms of tobacco and cannabis and their correlations with use: A panel study of young adults 2014-2020. *Addict Behav*, 144, 107758. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37263178>

Lyew, T., Ikhlas, A, Sayed, F, Vincent, A, & Lydon-Staley, DM. (2023). Curiosity, Surprise, and the Recall of Tobacco-Related Health Information in Adolescents. *J Health Commun*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37318238>

Thraikill, EA, DeSarno, M, & Higgins, ST. (2023). Loss Aversion and Current, Former, and Never Smoking Status. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36934337>

O'Brien, EK, Roditis, M, Persoskie, A, & Margolis, KA. (2023). Youths' Perceptions of Nicotine Harm and Associations With Product Use. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36920470>

Thraikill, EA, DeSarno, M, & Higgins, ST. (2022). Loss aversion and risk for cigarette smoking and other substance use. *Drug Alcohol Depend*, 232, 109307. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35093680>

- Van Deelen, TRD, Van den Putte, B, Kunst, AE, & Kuipers, MAG. (2021). Dutch youth's smoking behaviour during a partial covid-19 lockdown. *J Public Health Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34595899>
- McKelvey, K, Gaiha, SM, Delucchi, KL, & Halpern-Felsher, B. (2021). Measures of both perceived general and specific risks and benefits differentially predict adolescent and young adult tobacco and marijuana use: findings from a Prospective Cohort Study. *Humanit Soc Sci Commun*, 8(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34435190>
- Yangyuen, S, Mahaweerawat, C, Thitisutthi, S, & Mahaweerawat, U. (2021). Relationship between health literacy in substance use and alcohol consumption and tobacco use among adolescents, Northeast Thailand. *J Educ Health Promot*, 10, 120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34084867>
- Codinach-Danes, E, Obradors-Rial, N, Mendioroz-Pena, J, Villalbi, JR, Bosque-Prous, M, & Espelt, A. (2021). Future intentions and beliefs about roll-your-own cigarettes in adolescents. *Atencion Primaria*, 53(6), 102043. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33838538>
- Barbhuiya, F. (2021). Causal health attributes and beliefs of tobacco-related cancer patients in Assam, India. *J Psychosoc Oncol*, 1-16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33775241>
- Masjedi, MR, Ainy, E, Zayeri, F, & Paydar, R. (2020). Cigarette and Hookah Smoking in Adolescent Students using World Health Organization Questionnaire Global Youth Tobacco Survey (GYTS): A Pilot Study in Varamin City, Iran in 2016. *Asian Pac J Cancer Prev*, 21(10), 3033-3037. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33112564>
- Villanti, AC, Naud, S, West, JC, Pearson, JL Wackowski, OA, Hair, E et al (2020). Prospective associations between nicotine beliefs and tobacco-related susceptibility, curiosity, and use in U.S. adults. *Prev Med*, 106285. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33068605>
- Mattingly, DT, Tompkins, LK, Rai, J, Sears, CG, Walker, KL, & Hart, JL. (2020). Tobacco use and harm perceptions among Appalachian youth. *Prev Med Rep*, 18, 101089. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32368437>
- Strong, DR, Leas, E, Elton-Marshall, T, Wackowski, OA, Travers, M, Bansal-Travers, M et al (2019). Harm perceptions and tobacco use initiation among youth in Wave 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. *Prev Med*, 123, 185-191. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30878572>
- 5.6.2 Future intention to be a smoker or a non-smoker*
- Syapiila, P., Mulenga, D., Mazaba, M., Njunju, E., Zyambo, C., Chongwe, G., & Siziya, S. (2023). Factors associated with intention to smoke cigarettes among never smoker school going adolescents in Zambia. *Afr Health Sci*, 23(1), 596-605. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37545937>
- Scully, M, Greenhalgh, E, Bain, E, Wakefield, M, Durkin, S, & White, V. (2023). E-cigarette use and other risk factors associated with tobacco smoking susceptibility among Australian adolescents. *Aust N Z J Public Health*, 100076. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37620243>

Wang, Q. (2022). Smoking Outcome Expectancies in Chinese Young Adults. *J Psychoactive Drugs*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35848499>

Codinach-Danes, E, Obradors-Rial, N, Mendioroz-Pena, J, Villalbi, JR, Bosque-Prous, M, & Espelt, A. (2021). Future intentions and beliefs about roll-your-own cigarettes in adolescents. *Atencion Primaria*, 53(6), 102043. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33838538>

Osuh, ME, Fagbule, OF, & Olatunji, YD. (2020). Prevalence and predictors of susceptibility and future intention to smoke cigarettes among school-going adolescents in Ibadan, Nigeria. *Pan Afr Med J*, 37, 230. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33520069>

5.6.3 Perceived acceptability of smoking

Lahiri, S, Bingenheimer, JB, Evans, WD, Wang, Y, Cislighi, B, Dubey, P, & Snowden, B. (2024). Understanding the mechanisms of change in social norms around tobacco use: A systematic review and meta-analysis of interventions. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39394921>

Dhillon, AZ, Doran, T, & Aggarwal, VR. (2020). Perceptions of Waterpipe Smoking among Young Adults: A Phenomenological Study. *Dent J (Basel)*, 8(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33321834>

Epperson, AE, Novotny, TE, & Halpern-Felsher, B. (2020). Perceptions About the Impact of Cigarette Filters on the Environment and Smoking-Related Behaviors. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33288455>

Ra, JS, Cho, YH. Role of social normative beliefs as a moderating factor in smoking intention among adolescent girls in Korea. *Nurs Health Sci*, Sep 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30209874>

News reports:

Lifestyles Team. (2019). *Smoking, Drinking and Drug Use among Young People in England 2018 [NS]*. Retrieved from England <https://digital.nhs.uk/data-and-information/publications/statistical/smoking-drinking-and-drug-use-among-young-people-in-england/2018>

Agaku, Israel, Odani, Satomi, Vardavas, Constantine, Neff, Linda. Self-Identified Tobacco Use and Harm Perceptions Among US Youth. *Pediatrics*, Mar 2018. Available from: <http://pediatrics.aappublications.org/content/pediatrics/early/2018/03/13/peds.2017-3523.full.pdf>

Bortz, Katherine. Many teenage tobacco users deny tobacco use. Healio18. Mar 23, 2018. Available from: <https://www.healio.com/pediatrics/adolescent-medicine/news/online/%7B5326cd8f-a025-4ee6-ab21-2c37667c5989%7D/many-teenage-tobacco-users-deny-tobacco-use>

Williams, Tahlia, Faulkner, Agatha, Scalzo, Katherine, White, Victoria. Tobacco, alcohol, over-the-counter and illicit substance use among Victorian secondary school students 2014. Centre for Behavioural Research in Cancer, 2018. Mar 23, 2018. Available from:

https://www.cancervic.org.au/downloads/cbrc/ASSAD_Survey_-_Victorian_report_2014.pdf

No authors listed. Roll-your-own cigarette smoking on rise. Daily Mail, 2017. Dec 15, 2017. Available from: <http://www.mailonsunday.co.uk/wires/aap/article-5181547/Roll-cigarette-smoking-rise.html>

Lipari, Rachel N, Hughes, Arthur. The CBHSQ report - State estimates of adolescent cigarette use and perceptions of risk of smoking: 2012 and 2013. Substance Abuse and Mental Health Services Administration, 2015. May 18, 2015. Available from:

http://www.samhsa.gov/data/sites/default/files/report_1964/ShortReport-1964.pdf

5.6.3 Perceived acceptability of smoking

No authors listed. Smoking not cool or sexy, say most teens in new survey. *Dutch News*, 2020. May 28, 2020. Retrieved from <https://www.dutchnews.nl/news/2020/05/smoking-not-cool-or-sexy-say-most-teens-in-new-survey/>

Rapaport, Lisa. U.S. teens may smoke hookah because 'everyone else is doing it'. Reuters, 2018. July 3, 2018. Available from: <https://www.reuters.com/article/us-health-kids-hookah/u-s-teens-may-smoke-hookah-because-everyone-else-is-doing-it-idUSKBN1JS2L6>